Revision: 18.09.2023



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.09.2023

Version number 4 (replaces version 3)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Kältespray (brennbar)
  - · UFI: VW70-R08V-5007-PDWF
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Cooling spray
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Fermit GmbH Zur Heide 4, D- 53560 Vettelschoß www.fermit.de

Informing department:

Tel.: +49 (0) 2645-2207 Fax: +49 (0) 2645-3113 Email: info@fermit.de

• 1.4 Emergency telephone number: Tel.: +49 (0) 2645-2207

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



- · Signal word Danger
- · Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

· Precautionary statements

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

- · 2.3 Other hazards
  - · Results of PBT and vPvB assessment
  - · **PBT**: Not applicable.
  - · vPvB: Not applicable.

(Contd. on page 2)

Printing date 18.09.2023 Version number 4 (re

Version number 4 (replaces version 3) Revision: 18.09.2023

Trade name: Kältespray (brennbar)

(Contd. from page 1)

· Determination of endocrine-disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · **Description:** Mixture of the substances listed below including additives not requiring identification.

· Dangerous components:		
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21-X	propane Flam. Gas 1A, H220; Press. Gas (Comp.), H280	25 - 50%
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27-X	isobutane  Flam. Gas 1A, H220; Press. Gas (Comp.), H280	25 - 50%

· Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- After inhalation

Supply fresh air.

In case of persistent symptoms consult doctor.

· After skin contact

Wash with water and soap.

In cases of freeze burns, rinse with plenty of water. Do not remove clothing.

· After eye contact

Rinse opened eye for several minutes under running water.

In case of permanent aches and pains please go and see the doctor.

- After swallowing Swallowing is not considered to be a possible way of exposure.
- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

#### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, extinguishing powder or water jet. Fight larger fire with alcohol-resistant foam.

Use fire fighting measures that suit the environment.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture

During incomplete combustion carbon monoxide can be formed.

Pressure build-up and risk of bursting when heated.

Vapours are heavier than air and may travel long distances along ground, ignite and flash back to source.

- · 5.3 Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases.

In case of fire wear breathing equipment being independent of ambient air and suit provided full protection against chemicals.

(Contd. on page 3)

Printing date 18.09.2023 Version number 4 (replaces version 3) Revision: 18.09.2023

Trade name: Kältespray (brennbar)

(Contd. from page 2)

· Additional information

Cool endangered containers with water spray.

Remove goods in stock from incendiary zone, if possible.

#### SECTION 6: Accidental release measures

#### · 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Keep away from sources of ignition - No smoking.

- · 6.2 Environmental precautions: Damp down gases/fumes/haze with water spray jet.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- · 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Keep away from heat and direct sunlight.

Keep empty containers away from heat and ignition sources.

#### · Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Beware: Container is pressurized. Keep away from direct sun exposure and temperatures over 50°C. Do not open by force or throw into fire even after use.

Do not spray on flames or red-hot objects.

#### · 7.2 Conditions for safe storage, including any incompatibilities

- · Storage
- · Requirements to be met by storerooms and containers:

Observe official regulations on storing packagings with pressurised containers.

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed containers.

Protect from heat and direct sunlight.

· 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

WEL: workplace exposure limit

OEL: Occupational Exposure Limit

· Additional information: The lists that were valid during the compilation were used as basis.

#### · 8.2 Exposure controls

- · Individual protection measures, such as personal protective equipment
- · General protective and hygienic measures

Do not eat, drink or smoke while working.

Wash hands during breaks and at the end of the work.

Do not inhale gases / fumes / aerosols.

#### · Breathing equipment:

Not necessary if room is well-ventilated.

Use breathing protection in case of insufficient ventilation.

Filter AX.

(Contd. on page 4)

(Contd. from page 3)

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 18.09.2023 Version number 4 (replaces version 3) Revision: 18.09.2023

Trade name: Kältespray (brennbar)

#### · Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### · Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the permanent contact gloves made of the following materials are suitable:

Butyl rubber, BR

Fluorocarbon rubber (Viton)

Nitrile rubber, NBR

· Eye/face protection



Tightly sealed safety glasses.

#### · Body protection:

Wear antistatic clothing made from natural fibres (cotton) or heat-resistant synthetic fibres.

#### SECTION 9: Physical and chemical properties

#### · 9.1 Information on basic physical and chemical properties

· General Information

Physical state
 Colour:
 Odour:
 Odour threshold:
 Melting point/freezing point:

Aerosol

 Colourless
 Characteristic
 Not determined

Not determined

· Boiling point or initial boiling point and

**boiling range** Not applicable, as aerosol

· *Flammability* Not applicable.

· Lower and upper explosion limit

Lower: 1.8 Vol %
Upper: 8.4 Vol %
Flash point: ca. -80 °C
Decomposition temperature: Not determined.

· SADT

· **pH** Not determined.

· Viscosity:

Kinematic viscositydynamic:Not determined.Not determined.

Solubility

• Water: Not determined.

· Partition coefficient n-octanol/water (log

value) Not determined.Vapour pressure: Not determined.

(Contd. on page 5)

Printing date 18.09.2023 Version number 4 (replaces version 3) Revision: 18.09.2023

Trade name: Kältespray (brennbar)

(Contd.	from	page	4

· Density and/or	r relative density
------------------	--------------------

· **Density** ca. 0.548 g/cm<sup>3</sup>

#### · 9.2 Other information

· Appearance:

· Form: Aerosol

 Important information on protection of health and environment, and on safety.

· Self-inflammability: Product is not selfigniting.

• Explosive properties: Not determined.

• **VOC EU** 550 g/l • **VOC EU** 100 %

Change in condition

· Evaporation rate Not applicable.

### · Information with regard to physical hazard classes

• Explosives Void • Flammable gases Void

· Aerosols Extremely flammable aerosol. Pressurised

Void

Void

container: May burst if heated.

· Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void Oxidising solids Void Organic peroxides Void

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability

· Corrosive to metals

· Desensitised explosives

- Thermal decomposition / conditions to be avoided:
   Avoid direct sunlight, heat and ignition sources.
- · 10.3 Possibility of hazardous reactions

Danger of containers bursting because of high vapour pressure

- · 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: Strong oxidizing agents
- 10.6 Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions.

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity Based on available data, the classification criteria are not met.
- · Skin corrosion/irritation Contact with liquified product can cause frostbite.
- · Serious eye damage/irritation Irritation in case of direct contact

(Contd. on page 6)

Printing date 18.09.2023

Version number 4 (replaces version 3)

#### Trade name: Kältespray (brennbar)

(Contd. from page 5)

Revision: 18.09.2023

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- Other information: There are no data available about the preparation.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
  - Additional ecological information:
  - General notes: Generally not hazardous for water.

### SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Proceed according to local, official regulations.

The waste code numbers mentioned are recommendations based on the probable use of the product.

•			
· Europea	· European waste catalogue		
16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST		
16 05 00	gases in pressure containers and discarded chemicals		
16 05 04*	gases in pressure containers (including halons) containing hazardous substances		
14 00 00	WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (EXCEPT 07 AND 08)		
14 06 00	waste organic solvents, refrigerants and foam/aerosol propellants		
14 06 03*	other solvents and solvent mixtures		
HP3	Flammable		

- · Uncleaned packagings:
- Recommendation:

After use the packaging shall be discharged completely.

Dispose of packaging according to regulations on the disposal of packagings.

Printing date 18.09.2023

Version number 4 (replaces version 3)

Trade name: Kältespray (brennbar)

(Contd. from page 6)

Revision: 18.09.2023

14.1 UN number or ID number · ADR/RID, IMDG, IATA	UN1950
14.2 UN proper shipping name · ADR/RID · IMDG · IATA	1950 AEROSOLS AEROSOLS AEROSOLS, flammable
14.3 Transport hazard class(es)	/IEITOGEE, Hammable
· ADR/RID	
· Class	2 5F Gases.
· Label	2.1 Gases.
· IMDG, IATA	
· Class · Label	2.1 Gases. 2.1
14.4 Packing group · ADR/RID, IMDG, IATA	Void
14.5 Environmental hazards: · Marine pollutant:	No
<ul> <li>14.6 Special precautions for user</li> <li>Kemler Number:</li> <li>EMS Number:</li> <li>Stowage Code</li> </ul> Segregation Code	Warning: Gases.  F-D,S-U SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of livi quarters. SG69 For AEROSOLS with a maximum capac of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision class 2.
14.7 Maritime transport in bulk accordi	
· Transport/Additional information:	
· ADR/RID · Limited quantities (LQ)	1L

Printing date 18.09.2023 Version number 4 (replaces version 3) Revision: 18.09.2023

Trade name: Kältespray (brennbar)

(Contd. from page 7)

· Excepted quantities (EQ) Code: E0

Not permitted as Excepted Quantity

· Transport category 2 · Tunnel restriction code D

· IMDG

Limited quantities (LQ)
 Excepted quantities (EQ)
 Code: E0

Not permitted as Excepted Quantity

· UN "Model Regulation": UN 1950 AEROSOLS, 2.1

### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P3a FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations
- · Water hazard class:
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is contained.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This safety data sheet meets the requirements of Regulation (EU) 2015/830 and 2020/878 amending Annex II of Regulation (EC) 1907/2006.

· Relevant phrases

H220 Extremely flammable gas.

(Contd. on page 9)

Printing date 18.09.2023

Version number 4 (replaces version 3)

Trade name: Kältespray (brennbar)

(Contd. from page 8)

Revision: 18.09.2023

H280 Contains gas under pressure; may explode if heated.

· Department issuing data specification sheet:

DEKRA This Safety Data Sheet has been drawn up in cooperation with: DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany, phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

- · Version number of previous version: 3
- · Abbreviations and acronvms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Gas 1A: Flammable gases - Category 1A

Aerosol 1: Aerosols - Category 1

Press. Gas (Comp.): Gases under pressure - Compressed gas · \* Data compared to the previous version altered.